



CLEVERTECH

 HANDLING
YOUR SUCCESS



CLEVERTECH STRETCH WRAPPING MACHINES

STRETCH WRAPPING TECHNOLOGY

Cleverttech range of stretch wrapping machines offers a maximum stability and safety of palletized load, meeting any production request and ensuring excellent production performance.

PF 30
ROTATING
PLATFORM



PF 40
ROTATING ARM



PF 60
ROTATING RING



PF 80
ROTATING RING



PF 120
ROTATING RING



PF 150 SAVITAR
SERIES



CLEVERTECH STRETCH WRAPPING MACHINES

PF 120 WRAPPING TECHNOLOGY

This is a rotating ring type machine with double film roll carriers. The machine can run with the rotating ring at 40 / 55 rpm. Automatic hooking and cutting film device with film sealing on the counter-bar at the end of the wrapping cycle and produces up to 80/120 pallet/hour.

- Production standard package reaches a speed of **40 RPM**;
- The “speed increase” package reaches a speed of **55 RPM**;

PF 120 MAIN FEATURES

- Powered pre-stretch ration up to **400%**;
- Top pneumatic presser – type pantograph;
- Integrated water-proof top sheet dispenser;
- N.2 Powered pre-stretch assemblies;
- N.2 Film Hooking Cutting and Sealing Units with counter-bar;
- Boundary safety net fences;
- Electrical cabinet with PLC and Operative panel for anomalies signaling;
- Film-roll up-down stroke speed variable by Inverter;
- Stretchable film tension adjustment by Control panel;
- Photocell for automatic pallet height detection;

