



CLEVERTECH

 HANDLING
YOUR SUCCESS



CLEVERTECH STRETCH WRAPPING MACHINES


STRETCH WRAPPING TECHNOLOGY

Cleverttech range of stretch wrapping machines offers a maximum stability and safety of palletized load, meeting any production request and ensuring excellent production performance.

PF 30
ROTATING
PLATFORM



PF 40
ROTATING ARM



PF 60
ROTATING RING



PF 80
ROTATING RING



PF 120
ROTATING RING



PF 150 SAVITAR
SERIES



CLEVERTECH STRETCH WRAPPING MACHINES

PF 40 WRAPPING TECHNOLOGY

The wrapping cycle is carried out by a rotating arm holding a film-roll.

- Production standard package reaches a speed of **20 RPM**;
- The “speed increase” package reaches a speed of **30 RPM**;



PF 40 MAIN FEATURES

- Powered pre-stretch ratio up to **300%**;
- Automatic hooking, cutting and film sealing unit;
- Turn table-table rotation start and stop at low speed controlled by frequency driver;
- Electric control panel with PLC and operative Panel;
- Film-roll up/down stroke speed adjustable by frequency driver
- Stretchable film tension adjustment.
- Arm rotation start and stop at low speed controlled by frequency driver;

